


See the difference



## SOLiD™ System Publication List

### *Transcriptome/ RNA Analysis*

#### *Whole Transcriptome*

Identification of novel exons and transcribed regions by chimpanzee transcriptome sequencing  
Wetterbom *et al.* *Genome Biology* 2010, **11**:R78  
<http://genomebiology.com/2010/11/7/R78>

Constitutively active androgen receptor splice variants expressed in castration-resistant prostate cancer require full-length androgen receptor.  
Watson *et al.*, *PNAS*, 2010  
[www.pnas.org/cgi/doi/10.1073/pnas.1012443107](http://www.pnas.org/cgi/doi/10.1073/pnas.1012443107)

Roles of xanthophyll carotenoids in protection against photoinhibition and oxidative stress in the cyanobacterium *Synechococcus* sp. strain PCC 7002  
Zhu *et al.*, *Archives of Biochemistry and Biophysics* 2010 Jul 16  
<http://dx.doi.org/10.1016/j.abb.2010.07.007>

Functional and structural characterization of the 2/2 hemoglobin from *Synechococcus* sp. PCC 7002  
Scott *et al.*, *Biochemistry* 2010 Aug 24;49(33):7000-11  
<http://dx.doi.org/10.1021/bi100463d>

The Transcriptomes of Two Heritable Cell Types Illuminate the Circuit Governing Their Differentiation  
Tuch *et al.*, *PLoS Genetics*, August 2010, volume 6, Issue 8  
<http://dx.doi.org/10.1371/journal.pgen.1001070>

Genome-wide misexpression of X-linked versus autosomal genes associated with hybrid male sterility.  
Lu *et al.*, *Genome Res.* published online May 28, 2010  
<http://genome.cshlp.org/lookup/doi/10.1101/gr.076620.108>

Simultaneous high-resolution analysis of vaccinia virus and host cell transcriptomes by deep RNA sequencing.  
Yang *et al.*, *PNAS*, published online June 7, 2010  
[www.pnas.org/cgi/doi/10.1073/pnas.1006594107](http://www.pnas.org/cgi/doi/10.1073/pnas.1006594107)

A comparison of massively parallel nucleotide sequencing with oligonucleotide microarrays for global transcription profiling.  
Bradford *et al.*, *BMC Genomics* 2010, **11**:282  
<http://dx.doi.org/10.1186/1471-2164-11-282>

Tracing the Derivation of Embryonic Stem Cells from the Inner Cell Mass by Single-Cell RNA-Seq Analysis.  
Tang *et al.*, *Cell Stem Cell*, **6**, May 7, 2010  
<http://dx.doi.org/10.1016/j.stem.2010.03.015>

Large-scale detection and analysis of RNA editing in grape mtDNA by RNA deep-sequencing.  
Picardi et al, *Nucleic Acids Research*, 2010, 1–13  
<http://dx.doi.org/10.1093/nar/gkq202>

Widespread transcription at neuronal activity-regulated enhancers.  
Kim et al, *Nature*, 14 April 2010  
<http://dx.doi.org/10.1038/nature09033>

RNA-Seq analysis to capture the transcriptome landscape of a single cell.  
Tang et al, *Nature Protocols*, 5, - 516 - 535 (2010)  
<http://dx.doi.org/10.1038/nprot.2009.236>

Tumor Transcriptome Sequencing Reveals Allelic Expression Imbalances Associated with Copy Number Alterations.  
Tuch et al, *PLoS ONE* 5(2): e9317  
<http://dx.doi.org/10.1371/journal.pone.0009317>

mRNA-Seq whole-transcriptome analysis of a single cell.  
Tang et al, *Nature Methods* 6, 377 - 382 (2009)  
<http://dx.doi.org/10.1038/nmeth.1315>

The Structure and Complexity of a Bacterial Genome.  
Passalacqua et al, *J. Bacteriology* doi:10.1128/JB.00122-09  
<http://dx.doi.org/10.1128/JB.00122-09>

Stem cell transcriptome profiling via massive-scale mRNA sequencing.  
Cloonan et al, *Nature Methods* - 5, 613 - 619 (2008)  
<http://dx.doi.org/doi:10.1038/nmeth.1223>

#### ***small RNA***

Arabidopsis lyrata small RNAs: Transient MIRNA and small interfering RNA loci within the Arabidopsis Genus.  
Ma et al, *The Plant Cell* 22:1090-1103 (2010)  
<http://www.plantcell.org/cgi/content/short/22/4/1090>

Identification of homologous microRNAs in 56 animal genomes  
Li, et al, *Genomics* 2010 Jul; 96(1): 1-9  
<http://dx.doi.org/10.1016/j.ygeno.2010.03.009>

RNA deep sequencing of the Atlantic cod transcriptome  
Johansen et al, *Comparative Biochemistry and Physiology, D*, 2010  
<http://dx.doi.org/10.1016/j.cbd.2010.04.005>

Deep sequencing reveals differential expression of microRNAs in favorable versus unfavorable neuroblastoma.  
Schulte et al, *Nucleic Acids Research*, 2010, 1–10  
<http://dx.doi.org/10.1093/nar/gkq342>

High Throughput Sequencing of MicroRNAs in Adenovirus Type 3 Infected Human Laryngeal Epithelial Cells.  
Qi et al, *Journal of Biomedicine and Biotechnology*, 2010  
<http://www.hindawi.com/journals/jbb/aip.915980.html>

Loqs and R2D2 act sequentially in the siRNA pathway in Drosophila.  
Marques et al, *Nature Structural & Molecular Biology* 17, 24 - 30 (2010)  
<http://dx.doi.org/10.1038/nsmb.1735>

Ago2 Immunoprecipitation Identifies Predicted MicroRNAs in Human Embryonic Stem Cells and Neural Precursors.

Goff et al, *PLoS ONE* (2009) 4(9): e7192.

<http://dx.doi.org/doi:10.1371/journal.pone.0007192>

Limitations and possibilities of small RNA digital gene expression profiling.

Linsen et al. *Nature Methods* 6, 474-476 (2009)

<http://dx.doi.org/doi:10.1038/nmeth0709-47>

Sliced microRNA targets and precise loop-first processing of MIR319 hairpins revealed by analysis of the *Physcomitrella patens* degradome

Addo-Quaye et al, *RNA* 2009 15: 2112-2121

<http://rnajournal.cshlp.org/lookup/doi/10.1261/rna.1774909>

### **SAGE**

High-Resolution Analysis of the 5'-End Transcriptome Using a Next Generation DNA Sequencer.

Hashimoto et al, *PLoS ONE*. 2009; 4(1): e4108

<http://dx.doi.org/10.1371/journal.pone.0004108>

Variation in the Large-Scale Organization of Gene Expression Levels in the Hippocampus Relates to Stable Epigenetic Variability in Behavior.

Alter et al. *PLoS ONE* (2008) 3(10): e3344.

<http://dx.doi.org/doi:10.1371/journal.pone.0003344>

### **RNA, Structure**

Genome-wide measurement of RNA secondary structure in yeast

Kertesz et al, *Nature* 467, 103-107, 2010

<http://www.nature.com/nature/journal/v467/n7311/full/nature09322.html>

Long Noncoding RNA as Modular Scaffold of Histone Modification Complexes

Tsai et al, *Science*, Published online July 8 2010

<http://dx.doi.org/10.1126/science.1192002>

## **Epigenomic Analysis**

### **Chromatin Immunoprecipitation Sequencing (ChIP – Seq)**

A Downstream Intergenic Cluster of Regulatory Enhancers Contributes to the Induction of *CYP24A1* Expression by  $1\alpha,25$ -Dihydroxyvitamin D<sub>3</sub>\*

Meyer et al, *The Journal of Biological Chemistry*, VOL. 285, NO. 20, May 14, 2010

<http://dx.doi.org/10.1074/jbc.M110.119958>

A global role for KLF1 in erythropoiesis revealed by ChIP-seq in primary erythroid cells.

Tallack, et al, *Genome Res.* published online May 27, 2010

<http://genome.cshlp.org/lookup/doi/10.1101/gr.106575.110>

Comparing genome-wide chromatin profiles using ChIP-chip or ChIP-seq/

Johannes et al, *Bioinformatics* Advance Access published March 5, 2010

<http://dx.doi.org/10.1093/bioinformatics/btq087>

ZBED6, a Novel Transcription Factor Derived from a Domesticated DNA Transposon Regulates IGF2 Expression and Muscle Growth.

Markljung et al, *PLoS Biol* 7(12): e1000256

<http://dx.doi.org/10.1371/journal.pbio.1000256>

A novel mechanism of epigenetic regulation: Nucleosome-space occupancy.

Ciu et al, *Biochem. Biophys. Res. Commun* (2009)

<http://dx.doi.org/10.1016/j.bbrc.2009.11.157>

Differential binding and co-binding pattern of FOXA1 and FOXA3 and their relation to H3K4me3 in HepG2 cells revealed by ChIP-seq.

Motallebipour et al. *Genome Biology* 2009, 10:R129

<http://dx.doi.org/10.1186/gb-2009-10-11-r129>

A compiled and systematic reference map of nucleosome positions across the *Saccharomyces cerevisiae* genome.

Jiang and Pugh, *Genome Biology* 2009, 10:R109

<http://dx.doi.org/doi:10.1186/gb-2009-10-10-r109>

Interaction of transcriptional regulators with specific nucleosomes across the *saccharomyces* genome.

Koerber et al. *Molecular Cell* Volume 35, Issue 6, 889-902, 24 September 2009

<http://dx.doi.org/10.1016/j.molcel.2009.09.011>

Chromatin immunoprecipitation sequencing (ChIP-Seq) on the SOLiD™ System.

Shah et al, *Nature Methods* 6, (2009)

<http://www.nature.com/nmeth/journal/v6/n4/full/nmeth.f.247.html>

A high-resolution, nucleosome position map of *C. elegans* reveals a lack of universal sequence-dictated positioning.

Valouev et al, *Genome Research*. 2008 Jul;18(7):1051-63.

<http://dx.doi.org/10.1101/gr.076463.108>

Nucleosomes are well positioned in exons and carry characteristic histone modifications.

Andersson et al, *Genome Research* 2009. 19:1732-1741.

<http://dx.doi.org/10.1101/gr.092353.109>

### ***Methylation***

An alignment algorithm for bisulfite sequencing using the Applied Biosystems SOLiD System/

Ondov et al, *Bioinformatics* Advance Access published June 18, 2010

<http://dx.doi.org/10.1093/bioinformatics/btq291>

Chromatin and sequence features that define the fine and gross structure of genomic methylation patterns.

Edwards et al, *Genome Research*, 2010

<http://genome.cshlp.org/lookup/doi/10.1101/gr.101535.109>

Whole Methylome Analysis by Ultra-Deep Sequencing Using Two-Base Encoding.

Bormann Chung et al, *PLoS ONE* 5(2): e9320.

<http://dx.doi.org/10.1371/journal.pone.0009320>

Preparation of genome-wide DNA fragment libraries using bisulfite in polyacrylamide gel electrophoresis slices with formamide denaturation and quality control for massively parallel sequencing by oligonucleotide ligation and detection.

Ranade, S., et al. *Analytical Biochemistry* (July 2009) 390, (2): 126-135.

<http://dx.doi.org/10.1016/j.ab.2009.04.020>

## ***Genomic Analysis***

### ***Whole Genome Sequencing***

Complete Genome Sequence of *Staphylococcus aureus* f1fl strain JKD6008, a ST239 clone of Methicillin-Resistant *Staphylococcus aureus* with intermediate level vancomycin resistance.

Howden et al, *J. Bacteriol*, 2010

<http://dx.doi.org/10.1128/JB.00951-10>

Highly-multiplexed barcode sequencing: an efficient method for parallel analysis of pooled samples

Smith et al, *Nucleic Acids Research*, 2010, 1–7

<http://dx.doi.org/10.1093/nar/gkq368>

Whole-Genome Sequencing in a Patient with Charcot-Marie-Tooth Neuropathy

Lupski et al, *N Engl J Med*, March 10, 2010

<http://dx.doi.org/10.1056/NEJMoa0908094>

Whole-genome resequencing reveals loci under selection during chicken domestication.

Rubin, et al, *Nature* 464, 587-591 (25 March 2010)

<http://dx.doi.org/10.1038/nature08832>

Development of Personalized Tumor Biomarkers Using Massively Parallel Sequencing.

Leary et al, *Science Translational Medicine*, 24 February 2010 Vol 2 Issue 20 20ra14

<http://dx.doi.org/10.1126/scitranslmed.3000702>

Complete Khoisan and Bantu genomes from southern Africa.

Schuster et al, *Nature*, Vol 463, 18 February 2010.

<http://dx.doi.org/doi:10.1038/nature08795>

Combining Two Technologies for Full Genome Sequencing of Human.

Skryabin et al, *Acta Naturae*, No3, 2009

U87MG Decoded: The Genomic Sequence of a Cytogenetically Aberrant Human Cancer Cell Line.

Clark et al, *PLoS Genetics*, January 2010, volume 6, issue 1

<http://dx.doi.org/10.1371/journal.pgen.1000832>

Maternal Plasma DNA Analysis with Massively Parallel Sequencing by Ligation for Noninvasive Prenatal Diagnosis of Trisomy 21.

Chiu et al. *Clinical Chemistry* 56:3 (2010)

<http://dx.doi.org/10.1373/clinchem.2009.136507>

Digital Fetal Aneuploidy Diagnosis by Next-Generation Sequencing.

Voelkerding and Lyon, *Clinical Chemistry* **Clinical Chemistry** 56:3 336–338 (2010)

<http://dx.doi.org/10.1373/clinchem.2009.141267>

A small-cell lung cancer genome with complex signatures of tobacco exposure.

Pleasance et al. *Nature*, 463, 184-190 (14 January 2010)

<http://dx.doi.org/doi:10.1038/nature08629>

Breakpoint analysis of balanced chromosome rearrangements by next-generation paired-end sequencing.

Chen et al, *European Journal of Human Genetics* (2 December 2009)

<http://dx.doi.org/10.1038/ejhg.2009.211>

Whole-genome typing of *Bacillus anthracis* isolates by next-generation sequencing accurately and rapidly identifies strain-specific diagnostic polymorphisms.

Cummings, et al., *Forensic Sci. Int. Gene. Suppl.* (2009)

<http://dx.doi.org/10.1016/j.fsigss.2009.08.097>

Sequence and structural variation in a human genome uncovered by short-read, massively parallel ligation sequencing using two base encoding.

McKernan et al, *Genome Res.* Published online June 22, 2009

<http://dx.doi.org/10.1101/gr.091868.109>

The complete genome sequence of *Escherichia coli* DH10B: insights into the biology of a laboratory workhorse.

Durfee et al, *J. of Bacteriolog*, April 2008, p. 2597-2606, Vol. 190, No. 7

<http://dx.doi.org/10.1128/JB.01695-07>

Fast Forward Genetics.

Darby and Hall, *Nature Biotechnology* 26, 1248 - 1249 (2008)

<http://dx.doi.org/doi:10.1038/nbt1108-1248>

Rapid whole-genome mutational profiling using next-generation sequencing technologies.

Smith et al, *Genome Res.* 2008. 18: 1638-1642

<http://dx.doi.org/10.1101/gr.077776.108>

Comparing Platforms for *C. elegans* Mutant Identification Using High-Throughput Whole-Genome Sequencing.

Shen et al, *PLoS ONE* 3(12): e4012

<http://dx.doi.org/10.1371/journal.pone.0004012>

### **Targeted Resequencing**

Exome Sequencing Identifies WDR35 Variants Involved in Sensenbrenner Syndrome.

Gilissen et al, *The American Journal of Human Genetics* (2010)

<http://dx.doi.org/10.1016/j.ajhg.2010.08.004>

Whole exome capture in solution with 3Gbp of data

Bainbridge et al, *Genome Biology* 2010, 11:R62

<http://dx.doi.org/10.1186/gb-2010-11-6-r62>

SNP discovery performance of two second generation sequencing platforms in the *NOD2* gene region.

Melum et al, *Human Mutation* Volume 9999 Issue 999A, Published Online: 18 May 2010

<http://dx.doi.org/10.1002/humu.21276>

GC-Biased Evolution Near Human Accelerated Regions

Katzman et al, *PLoS Genetics*, 2010

<http://dx.doi.org/10.1371/journal.pgen.1000960>

Multiplexed resequencing analysis to identify rare variants in pooled DNA with barcode indexing using next-generation sequencer.

Mitsui et al, *Journal of Human Genetics* (2010), 1–8

<http://dx.doi.org/10.1038/jhg.2010.46>

De novo mutations of SETBP1 cause Schinzel-Giedion syndrome.

Hoischen, et al, *Nature Genetics*, May 2010

<http://dx.doi.org/10.1038/ng.581>

PHF6 mutations in T-cell acute lymphoblastic leukemia.

Van Vlierberghe et al, *Nature Genetics* 42, 338-342 (2010)

<http://dx.doi.org/10.1038/ng.542>

Accurate SNP and mutation detection by targeted custom microarray-based genomic enrichment of short-fragment sequencing libraries.

Mokry et al, *Nucleic Acids Research*, 2010, 1–9

<http://dx.doi.org/10.1093/nar/gkq072>

Polymorphism Discovery in High-Throughput Resequenced Microarray-Enriched Human Genomic Loci.

Antipova et al, *Journal of Biomolecular Techniques* 20:253–257

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2777346/?tool=pubmed>

High throughput sequencing in mice: a platform comparison identifies a preponderance of cryptic SNPs.

Walter et al, *BMC Genomics* 2009, 10:379

<http://dx.doi.org/10.1186/1471-2164-10-379>

Evaluation of next generation sequencing platforms for population targeted sequencing studies.  
Harismendy et al, *Genome Biology* 2009, 10:R32  
<http://dx.doi.org/10.1186/gb-2009-10-3-r32>

### **Metagenomics**

Confirmation of the Sequence of 'Candidatus Liberibacter asiaticus' and Assessment of Microbial Diversity in Huanglongbing-Infected Citrus Phloem Using a Metagenomic Approach.  
Tyler et al, *Molecular Plant-Microbe Interactions*, Vol. 22, No. 12, 2009,  
<http://dx.doi.org/10.1094 /MPMI -22-12-1624>

The carnivorous bladderwort (Utricularia, Lentibulariaceae) a system inflates.  
Albert et al, *Journal of Experimental Botany*, vol. 61, No1, pp 5-9, 2010  
<http://dx.doi.org/10.1093/jxb/erp349>

### **Platform/ Technology**

Semi-Automated Library Preparation for High-Throughput DNA Sequencing Platforms  
Farias-Hesson et al, *Journal of Biomedicine and Biotechnology*, Volume 2010, Article ID 617469  
<http://dx.doi.org/10.1155/2010/617469>

Highly-multiplexed barcode sequencing: an efficient method for parallel analysis of pooled samples.  
Smith et al, *Nucleic Acids Research*, 2010, I-7  
<http://dx.doi.org/10.1093/nar/gkq368>

New Frontiers in Plant Functional Genomics Using Next Generation Sequencing Technologies.  
R. Nutter, *The Handbook of Plant Functional Genomics, Concepts and Protocols*. Gunther Kahl and Khalid Meksem, Ed. ISBN: 978-3-527-31885-8, Wiley-VCH, 2008 pp 431-444

Applied Biosystems SOLiD™ System: Ligation-Based Sequencing," Next Generation Genome Sequencing: Towards Personalized Medicine, Pandey V, Nutter RC, Prediger E (2008), Wiley, pages 29-41  
<http://www.wiley.com/WileyCDA/WileyTitle/productCd-3527320903.html>

### **Bioinformatics**

SVDetect: a tool to identify genomic structural variations from paired-end and mate-pair sequencing data  
Zeitouni et al, *Bioinformatics*, Vol. 26 no. 15 2010, pages 1895–1896  
<http://dx.doi.org/10.1093/bioinformatics/btq293>

The Genome Analysis Toolkit: a MapReduce framework for analyzing next-generation DNA sequencing data  
McKenna et al, *Genome Res.* published online July 19, 2010  
<http://genome.cshlp.org/lookup/doi/10.1101/gr.107524.110>

SOPRA: Scaffolding algorithm for paired reads via statistical optimization.  
Dayarian et al, *BMC Bioinformatics* 2010, 11:345  
<http://dx.doi.org/10.1186/1471-2105-11-345>

Filtering error from SOLiD Output.  
Sasson et al, *Bioinformatics*, Vol. 26 no. 6 2010, pages 849–850  
<http://dx.doi.org/10.1093/bioinformatics/btq045>

VARiD: a variation detection framework for color-space and letter-space platforms.  
Dalca et al, *Bioinformatics*, Vol. 26 ISMB 2010, pages i343–i349  
<http://dx.do.orgi/10.1093/bioinformatics/btq184>

Modeling non-uniformity in short-read rates in RNA-Seq data  
Li et al, *Genome Biology*, 2010, 11:R50  
<http://dx.doi.org/10.1186/gb-2010-11-5-r50>

Intensity normalization improves color calling in SOLiD sequencing.  
Wu et al, *Nature Methods* 7, 336-337 (2010)  
<http://dx.doi.org/10.1038/nmeth0510-336>

Correction of sequencing errors in a mixed set of reads.  
Salmela, *Bioinformatics* Advance Access published April 8, 2010  
<http://bioinformatics.oxfordjournals.org/cgi/content/abstract/btq151v1>

Global and unbiased detection of splice junctions from RNA-seq data.  
Ameur et al, *Genome Biology* 2010, 11:R34  
<http://dx.doi.org/10.1186/gb-2010-11-3-r34>

A scaling normalization method for differential expression analysis of RNA-seq Data.  
Robinson and Oshlack, *Genome Biology* 2010, 11:R25  
<http://dx.doi.org/10.1186/gb-2010-11-3-r25>

PEMER: a computational framework with simulation-based error models for inferring genomic structural variants from massive paired-end sequencing data.  
Korbel et al, *Genome Biology* 2009, 10:R23  
<http://dx.doi.org/10.1186/gb-2009-10-2-r23>

ParMap, an Algorithm for the Identification of Complex Genomic Variations in Nextgen Sequencing Data.  
Khiabani et al. Available from *Nature Precedings*, 2010  
<http://hdl.handle.net/10101/npre.2010.4145.1>

Archiving next generation sequencing data.  
Shumway et al. *Nucleic Acids Research*, 2009, 1–2  
<http://dx.doi.org/doi:10.1093/nar/gkp1078>

PerM: efficient mapping of short sequencing reads with periodic full sensitive spaced seeds.  
Chen et al, *Bioinformatics* 2009 25(19):2514-2521  
<http://dx.doi.org/10.1093/bioinformatics/btp486>

Local alignment of two-base encoded DNA sequence.  
Homer et al. *BMC Bioinformatics* 2009, 10:175  
<http://dx.doi.org/10.1186/1471-2105-10-175>

SHRiMP: Accurate Mapping of Short Color-space Reads.  
Rumble et al. (2009) *PLoS Comput Biol* 5(5): e1000386.  
<http://dx.doi.org/10.1371/journal.pcbi.1000386>

Efficient mapping of Applied Biosystems SOLiD sequence data to a reference genome for functional genomic applications.  
Ondov et al, *Bioinformatics* 2008 24(23):2776-2777  
<http://dx.doi.org/10.1093/bioinformatics/btn512>

Crystallizing short-read assemblies around seeds.  
Hossain et al, *BMC Bioinformatics* 2009, 10 (Suppl 1):S16  
<http://dx.doi.org/10.1186/1471-2105-10-S1-S16>

RNA-MATE: A recursive mapping strategy for high-throughput RNA-sequencing data.  
Cloonan et al, *Bioinformatics*, 2009  
<http://dx.doi.org/10.1093/bioinformatics/btp459>

## Reviews

Uncovering the Complexity of Transcriptomes with RNA-Seq.

Costa et al, *Journal of Biomedicine and Biotechnology* Volume 2010, Article ID 853916

<http://dx.doi.org/10.1155/2010/853916>

Whole-Genome Sequencing Breaks the Cost Barrier.

Bonetta, *Cell*, Volume 141, Issue 6, 917-919, 11 June 2010

<http://dx.doi.org/10.1016/j.cell.2010.05.034>

A survey of sequence alignment algorithms for next-generation sequencing.

Li and Homer, *Briefings in Bioinformatics*, Advance Access, published May 11, 2010

<http://dx.doi.org/10.1093/bib/bbq015>

The case for cloud computing in genome informatics

Stein, *Genome Biology* 2010, **11**:207

<http://genomebiology.com/2010/11/5/207>

Genome variation discovery with high-throughput sequencing data.

Dalca and Brudno, *Briefings in Bioinformatics*, 2010

<http://dx.doi.org/10.1093/bib/bbp058>

Assembly algorithms for next-generation sequencing data

Miller et al, *Genomics* 2010

<http://dx.doi.org/10.1016/j.ygeno.2010.03.001>

Personal genome sequencing: current approaches and challenges

Snyder et al, *Genes Dev.* 2010 24: 423-431

<http://dx.doi.org/10.1101/gad.1864110>

Applications of Ultra-high-Throughput Sequencing

Fox et al, *Plant Systems Biology*, vol. 553

[http://dx.doi.org/10.1007/978-1-60327-563-7\\_5](http://dx.doi.org/10.1007/978-1-60327-563-7_5)

Bacterial Genome Sequencing.

Tettelin and Feldblyum, *Molecular Epidemiology of Microorganisms*, Methods in Molecular Biology, Vol. 551

[http://dx.doi.org/10.1007/978-1-60327-999-4\\_18](http://dx.doi.org/10.1007/978-1-60327-999-4_18)

Bewertung der SOLiDSequenzierungsplattform aus Nutzerperspektive.

Dahl et al, *Laborwelt*, Nr. 1/2010

[http://www.laborwelt.de/pdf/2010/LW2010\\_01.pdf](http://www.laborwelt.de/pdf/2010/LW2010_01.pdf)

Sequencing technologies — the next generation.

Metzker, *Nature Reviews Genetics* **11**, 31-46 (January 2010)

<http://dx.doi.org/10.1038/nrg2626>

ChIP-seq: advantages and challenges of a maturing technology

Park, *Nature Reviews Genetics* **10**, 669-680 (October 2009)

<http://dx.doi.org/10.1038/nrg2641>

Next-generation sequencing technologies and their implications for crop genetics and breeding

Varshney, et al, *Trends in Biotechnology* Volume 27, Issue 9, September 2009, Pages 522-530

<http://dx.doi.org/10.1016/j.tibtech.2009.05.006>

Generation II DNA sequencing technologies potential impact on drug discovery and development.

Kingsmore et al, *Drug Discovery World Spring* 2009

[http://ddw-online.com/enabling\\_technologies/310370/generation\\_ii\\_dna\\_sequencing\\_technologies.html](http://ddw-online.com/enabling_technologies/310370/generation_ii_dna_sequencing_technologies.html)

Next-Generation Sequencing Methods: Impact of Sequencing Accuracy on SNP Discovery.  
Chan, *Single Nucleotide Polymorphisms, Methods in Molecular Biology* 578,A.A.2009  
<http://www.springerlink.com/content/jl4826281664g340/>

Whole Genome Transcriptome Analysis.  
Forrest and Carninci, *RNA Biology* 6:2, 107-112;  
<http://dx.doi.org/10.4161/rna.6.2.7931>

Is sequencing enlightenment ending the dark age of the transcriptome?  
Carninci, (2009). *Nature Methods* v6 p711  
<http://www.nature.com/nmeth/journal/v6/n10/pdf/nmeth1009-711.pdf>

Speed Freaks.  
Levine, *The Journal of Life Sciences* Fall 2009 27-31  
[http://www.burrillreport.com/content/pastissues/TJOLS\\_Fall2009.pdf](http://www.burrillreport.com/content/pastissues/TJOLS_Fall2009.pdf)

Next generation sequencing from basic research to clinical diagnostics.  
Voelkerding et al, *Clinical Chemistry* 55: 641-658, 2009.  
<http://dx.doi.org/10.1373/clinchem.2008.112789>

The beginning of the end for microarrays?  
Shendure, *Nature Methods* - 5, 585 - 587 (2008)  
<http://dx.doi.org/10.1038/nmeth0708-585>

Massively Parallel Sequencing: The Next Big Thing in Genetic Medicine.  
Tucker et al, *AJHG* 85, 142–154, 2009  
<http://dx.doi.org/10.1016/j.ajhg.2009.06.022>

Faster human genome sequencing.  
Li and Wang, *Nature Biotechnology* V27 September 2009,820-821  
<http://www.nature.com/nbt/journal/v27/n9/pdf/nbt0909-820.pdf>

The promise and reality of personal genomics.  
Yngvadottir et al, *Genome Biology* 2009,10:237  
<http://dx.doi.org/10.1186/gb-2009-10-9-237>

Next-generation DNA sequencing of paired-end tags (PET) for transcriptome and genome analyses.  
Fullwood et al. *Genome Res.* 2009 19: 521-532  
<http://dx.doi.org/10.1101/gr.074906.107>

Rise of the Machines.  
Gresham and Kruglyak, *PLoS Genet.* 2008 August; 4(8):e1000134.  
<http://dx.doi.org/10.1371/journal.pgen.1000134>

Sequence census methods for functional genomics.  
Wold and Myers, *Nature Methods* - 5, 19 - 21 (2008)  
<http://dx.doi.org/10.1038/nmeth1157>

The methylome: approaches for global DNA methylation profiling.  
Beck and Rakyant, *Trends in Genetics* Volume 24, Issue 5, May 2008, Pages 231-237  
<http://dx.doi.org/10.1016/j.tig.2008.01.006>

The new paradigm of flow cell sequencing  
Holt and Jones, *Genome Res.* 2008. 18: 839-846  
<http://dx.doi.org/10.1101/gr.073262.107>

Recent Patents and Advances in the Next-Generation Sequencing Technologies  
Lin et al, *Recent Patents on Biomedical Engineering* 2008, 1, 60-67  
<http://www.bentham.org/biomeng/samples/biomengl-1/Lin.pdf>