

MAT Case Presentation

#16

Select one	New Case
Presenter email address: *	tiffany.rivenburgh@bassett.org
Date for the presentation of this case. *	Wednesday, February 1, 2017
Clinical Site *	Norwich
What is your main question and/or challenge with this patient? *	patient is currently getting Suboxone off the street to treat his opiate addiction. He takes 8 mg a day. do we need to wean him off, before titrating his Suboxone dose? Or just start giving him 8 mg since that's the dose he knows he needs?
Age	30
Gender	Pt identifies as male
What are this patient's strengths?	resourceful, resilient
Employed	No
Employment details:	has not worked in several years
Partner Status	Significant other
Describe the patients living arrangements examples: stable/unstable, alone/with others, safe/unsafe, children in the home, patient is a caregiver)	lives with his ex-girlfriend and her children. Patient is the primary caregiver for the children. he takes care of the children as a form of payment for room and board. He does not have a driver's license. The children call him "daddy" although he is not the biological father of any of them.
Who and/or what does this patient have as support for sustained abstinence from opioid use?:	he has a caseworker, and he feels more alive location to stay clean since he takes care of these children
Who else in the patient's life is struggling with a substance use disorder?	no one currently. He has removed himself from social circles where drugs were a part of the culture
Legal Issues	<ul style="list-style-type: none"> On probation History of incarceration
Comments regarding legal Issues	he was just released from jail on January 24. He served one month for driving a car without a license. He now has probation for 1 year.
How many months has this patient been in MAT with you or your team	0
What are this patient's reasons to move towards sustained abstinence from opioid use (goals for the next 6–12 months)? *	patient says he is sick and tired of chasing down Suboxone or opioids off the street. He has not injected heroine in at least 2 years. He prefers the Suboxone, but when he cannot find Suboxone he will take opioid pain pills. He says he does not want to do this, he wants to stay clean. He would eventually like to get his own apartment and a job so that he can afford to go for visitation with his biological son.

What are the current emotional, behavioral, and /or physical symptoms most concerning to the patient?	<ul style="list-style-type: none"> • Pain • Social Anxiety • Irritability • Insomnia
Other symptoms of concern to patient:	
History of Overdose?	Unknown
Opioids used in past year:	<ul style="list-style-type: none"> • Buprenorphine (not prescribed to patient) • Prescription opioid other than buprenorphine, NOT prescribed to patient
Routes of opioid used in past year:	<ul style="list-style-type: none"> • Orally
Date of last positive drug test for opioids (other than buprenorphine or prescribed methadone):	
Estimated days of illicit opioid use in past 30 days (other than buprenorphine or prescribed methadone):	3-5
Does this patient have a history of prescribed buprenorphine NOT showing in urine/oral/fluid drug screens (Prescribed buprenorphine is absent)?	No
Other substances used in past year:	<ul style="list-style-type: none"> • Other substances
Other substances used in past year:	marijuana
Details of substances used in past year (frequency, route, recent use, toxicology testing):	smokes marijuana daily
What are the patient's triggers for lapse/relapse?	<ul style="list-style-type: none"> • Avoid/escape psychological symptoms (e.g. anxiety) • Cravings
Other triggers for relapse:	
Past drug treatment history (opioid use disorder and/or other SUDs) CHECK ALL THAT APPLY:	<ul style="list-style-type: none"> • Outpatient treatment
Details of past drug treatment history (including what was helpful and what was not helpful):	patient will not go to the local drug and alcohol treatment program because they will contact probation officer
Please check active psychiatric diagnoses:	<ul style="list-style-type: none"> • Bipolar disorder (either type I or type II) • Social anxiety disorder
Has this patient ever sought treatment for their co-occurring psychiatric diagnosis?	Yes
Please provide additional details regarding patient's prior mental health treatment:	patient currently treated in Psych clinic, Depakote and Zyprexa
Does this patient have a history of	<ul style="list-style-type: none"> • Suicide attempts

- Psychiatric hospitalization
- Trauma as an adult and/or as a child

Details of suicide attempts, psychiatric hospitalization, and/or trauma:

tried to commit suicide in 2012 after his girlfriend aborted their baby. Had a hospitalization at Bassett

Medical conditions (Select All that Apply):

- Chronic Pain

Please provide more detail about chronic pain:

patient has a history of testicular cancer in 2014, had a testicle removed. Is currently in remission

Current Medications (INCLUDING FORMULATION, DOSE AND FREQUENCY):

Zyprexa 7.5mg at night
 Depakote 500mg twice daily
 Melatonin 3mg at Dinner

Suboxone 8 mg daily, off the street

Is this patient on birth control (oral or long acting reversible) ?

No, patient is male

Has patient been offered naloxone?

No, has not been offered naloxone

Date of most recent HIV screening

Monday, January 30, 2017

HIV screening was

Negative

Date of most recent Hep-C screening

Monday, January 30, 2017

Hep-C screening was

Negative

Created 31 Jan 2017 1:34:55 PM	24.97.68.92 IP Address
PUBLIC	