



Non-Fibroid Applications For Uterine Artery Embolization [UAE]



Chieh-Min Fan, MD FSIR
Staff Radiologist
Interventional Radiology
Brigham & Women's Hospital
Assistant Professor Of Radiology
Harvard Medical School

Thursday, April 14, 2016
12:00 PM
Radiology Conference Room (S2-819)
University of Massachusetts Medical School

Objectives of program: Update physicians and other health care personnel on the subject matter.

Upon completion of this program, participants should be able to:

- 1. Describe the role of uterine artery occlusion in the control of obstetrical hemorrhage and uterine salvage.
- 2. Select appropriate embolic agents for use in non-fibroid UAE situations.
- 3. List types of delayed obstetrical hemorrhagic complications and role of UAE in treatment.

Accreditation Statement: This activity has been planned and implemented in accordance with the Essentials Areas and Policies of the Accreditation Council for Continuing Medical Education (ACCME). The University of Massachusetts Medical School is accredited by the ACCME to provide continuing medical education for physicians.

Designation Statement: The UMMS designates this live activity for a maximum of 1.5 AMA PRA Category 1 Credits [™]. Physicians should claim only credit commensurate with the extent of their participation in the activity.

Statement of Faculty Disclosure: It is the policy of the University of Massachusetts Medical School to ensure fair balance, independence, objectivity and scientific rigor in all activities. All faculty participating in CME activities sponsored by the University of Massachusetts Medical School are required to present evidence-based data, identify and reference off-label product use and disclose all relevant financial relationships with those supporting the activity or others whose products or services are discussed. Faculty disclosure will be provided in the activity materials.